



## chronic granulomatous disease

Chronic granulomatous disease is a disorder that causes the immune system to malfunction, resulting in a form of immunodeficiency. Immunodeficiencies are conditions in which the immune system is not able to protect the body from foreign invaders such as bacteria and fungi. Individuals with chronic granulomatous disease may have recurrent bacterial and fungal infections. People with this condition may also have areas of inflammation (granulomas) in various tissues that can result in damage to those tissues. The features of chronic granulomatous disease usually first appear in childhood, although some individuals do not show symptoms until later in life.

People with chronic granulomatous disease typically have at least one serious bacterial or fungal infection every 3 to 4 years. The lungs are the most frequent area of infection; pneumonia is a common feature of this condition. Individuals with chronic granulomatous disease may develop a type of fungal pneumonia, called mulch pneumonitis, which causes fever and shortness of breath after exposure to decaying organic materials such as mulch, hay, or dead leaves. Exposure to these organic materials and the numerous fungi involved in their decomposition causes people with chronic granulomatous disease to develop fungal infections in their lungs. Other common areas of infection in people with chronic granulomatous disease include the skin, liver, and lymph nodes.

Inflammation can occur in many different areas of the body in people with chronic granulomatous disease. Most commonly, granulomas occur in the gastrointestinal tract and the genitourinary tract. In many cases the intestinal wall is inflamed, causing a form of inflammatory bowel disease that varies in severity but can lead to stomach pain, diarrhea, bloody stool, nausea, and vomiting. Other common areas of inflammation in people with chronic granulomatous disease include the stomach, colon, and rectum, as well as the mouth, throat, and skin. Additionally, granulomas within the gastrointestinal tract can lead to tissue breakdown and pus production (abscesses). Inflammation in the stomach can prevent food from passing through to the intestines (gastric outlet obstruction), leading to an inability to digest food. These digestive problems cause vomiting after eating and weight loss. In the genitourinary tract, inflammation can occur in the kidneys and bladder. Inflammation of the lymph nodes (lymphadenitis) and bone marrow (osteomyelitis), which both produce immune cells, can lead to further impairment of the immune system.

Rarely, people with chronic granulomatous disease develop autoimmune disorders, which occur when the immune system malfunctions and attacks the body's own tissues and organs.

Repeated episodes of infection and inflammation reduce the life expectancy of individuals with chronic granulomatous disease; however, with treatment, most affected individuals live into mid- to late adulthood.

## Frequency

Chronic granulomatous disease is estimated to occur in 1 in 200,000 to 250,000 people worldwide.

## Genetic Changes

Mutations in the *CYBA*, *CYBB*, *NCF1*, *NCF2*, or *NCF4* gene can cause chronic granulomatous disease. There are five types of this condition that are distinguished by the gene that is involved. The proteins produced from the affected genes are parts (subunits) of an enzyme complex called NADPH oxidase, which plays an essential role in the immune system. Specifically, NADPH oxidase is primarily active in immune system cells called phagocytes. These cells catch and destroy foreign invaders such as bacteria and fungi. Within phagocytes, NADPH oxidase is involved in the production of a toxic molecule called superoxide. Superoxide is used to generate other toxic substances, which play a role in killing foreign invaders and preventing them from reproducing in the body and causing illness. NADPH oxidase is also thought to regulate the activity of immune cells called neutrophils. These cells play a role in adjusting the inflammatory response to optimize healing and reduce injury to the body.

Mutations in the *CYBA*, *CYBB*, *NCF1*, *NCF2*, and *NCF4* genes result in the production of proteins with little or no function or the production of no protein at all. Mutations in the genes that cause chronic granulomatous disease that prevent the production of any functional protein are designated "0". For example, mutations in the *CYBB* gene that lead to no functional beta chain are designated  $CYBB^0$ . Mutations that lead to a reduction of the amount of protein produced are designated "-", for example,  $CYBB^-$ .

Without any one of its subunit proteins, NADPH oxidase cannot assemble or function properly. As a result, phagocytes are unable to kill foreign invaders and neutrophil activity is not regulated. A lack of NADPH oxidase leaves affected individuals vulnerable to many types of infection and excessive inflammation.

Some people with chronic granulomatous disease do not have an identified mutation in any of these genes. The cause of the condition in these individuals is unknown.

## Inheritance Pattern

When chronic granulomatous disease is caused by mutations in the *CYBB* gene, the condition is inherited in an X-linked recessive pattern. The *CYBB* gene is located on the X chromosome, which is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation would have to occur

in both copies of the gene to cause the disorder. Because it is unlikely that females will have two altered copies of this gene, males are affected by X-linked recessive disorders much more frequently than females. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons. Rarely, females with one altered copy of the *CYBB* gene have mild symptoms of chronic granulomatous disease, such as an increased frequency of bacterial or fungal infections.

When chronic granulomatous disease is caused by *CYBA*, *NCF1*, *NCF2*, or *NCF4* gene mutations, the condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition. Men and women are affected by autosomal recessive conditions equally.

### Other Names for This Condition

- autosomal recessive chronic granulomatous disease
- CGD
- granulomatous disease, chronic
- X-linked chronic granulomatous disease

### Diagnosis & Management

These resources address the diagnosis or management of chronic granulomatous disease:

- American Academy of Allergy, Asthma, and Immunology  
<http://www.aaaai.org/conditions-and-treatments/primary-immunodeficiency-disease/chronic-granulomatous-disease>
- GeneReview: Chronic Granulomatous Disease  
<https://www.ncbi.nlm.nih.gov/books/NBK99496>
- Genetic Testing Registry: Chronic granulomatous disease, X-linked  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1844376/>
- Genetic Testing Registry: Chronic granulomatous disease, autosomal recessive cytochrome b-positive, type 1  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856251/>
- Genetic Testing Registry: Chronic granulomatous disease, autosomal recessive cytochrome b-positive, type 2  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856245/>
- Genetic Testing Registry: Granulomatous disease, chronic, autosomal recessive, cytochrome b-negative  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856255/>

- Genetic Testing Registry: Granulomatous disease, chronic, autosomal recessive, cytochrome b-positive, type III  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3151409/>
- MedlinePlus Encyclopedia: Chronic Granulomatous Disease  
<https://medlineplus.gov/ency/article/001239.htm>
- Primary Immune Deficiency Treatment Consortium  
<http://www.rarediseasesnetwork.org/cms/PIDTC>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Chronic Granulomatous Disease  
<https://medlineplus.gov/ency/article/001239.htm>
- Health Topic: Immune System and Disorders  
<https://medlineplus.gov/immunesystemanddisorders.html>

### Genetic and Rare Diseases Information Center

- Chronic granulomatous disease  
<https://rarediseases.info.nih.gov/diseases/6100/chronic-granulomatous-disease>

### Additional NIH Resources

- National Institute of Allergy and Infectious Diseases  
<https://www.niaid.nih.gov/diseases-conditions/chronic-granulomatous-disease-cgd>
- National Institute of Allergy and Infectious Diseases: Primary Immune Deficiency Diseases  
<https://www.niaid.nih.gov/diseases-conditions/primary-immune-deficiency-diseases-pids>

### Educational Resources

- Disease InfoSearch: Chronic Granulomatous Disease  
<http://www.diseaseinfosearch.org/Chronic+Granulomatous+Disease/1616>
- Disease InfoSearch: Chronic granulomatous disease, x-linked  
<http://www.diseaseinfosearch.org/Chronic+granulomatous+disease%2C+x-linked/7978>
- Immune Deficiency Foundation: Chronic Granulomatous Disease and Other Phagocytic Cell Disorders  
<http://primaryimmune.org/about-primary-immunodeficiencies/specific-disease-types/chronic-granulomatous-disease-and-other-phagocytic-cell-disorders/>
- MalaCards: chronic granulomatous disease  
[http://www.malacards.org/card/chronic\\_granulomatous\\_disease](http://www.malacards.org/card/chronic_granulomatous_disease)
- Merck Manual Consumer Version  
<http://www.merckmanuals.com/home/immune-disorders/immunodeficiency-disorders/chronic-granulomatous-disease-cgd>
- Monroe Carell Jr. Children's Hospital at Vanderbilt: All About the Immune System  
<http://www.childrenshospital.vanderbilt.org/library/article.php?ContentTypeId=90&ContentId=P01665&Category=SearchTitle&section=33153&term=i&>
- Orphanet: Chronic granulomatous disease  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=379](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=379)
- US Immunodeficiency Network  
<https://usidnet.org/>

### Patient Support and Advocacy Resources

- CGD Society  
<http://www.cgdsociety.org/>
- Immune Deficiency Foundation  
<http://primaryimmune.org/>
- International Patient Organisation for Primary Immunodeficiencies  
<http://www.ipopi.org/>
- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/chronic-granulomatous-disease/>
- Primary Immune Deficiency Treatment Consortium  
<http://www.rarediseasesnetwork.org/cms/PIDTC>
- University of Kansas Resource List: Immune Deficiency Conditions  
<http://www.kumc.edu/gec/support/immune.html>

### GeneReviews

- Chronic Granulomatous Disease  
<https://www.ncbi.nlm.nih.gov/books/NBK99496>

### Genetic Testing Registry

- Chronic granulomatous disease, autosomal recessive cytochrome b-positive, type 1  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856251/>
- Chronic granulomatous disease, autosomal recessive cytochrome b-positive, type 2  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856245/>
- Chronic granulomatous disease, X-linked  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1844376/>
- Granulomatous disease, chronic, autosomal recessive, cytochrome b-negative  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1856255/>
- Granulomatous disease, chronic, autosomal recessive, cytochrome b-positive, type III  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C3151409/>

### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22chronic+granulomatous+disease%22>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Granulomatous+Disease,+Chronic%5BMAJR%5D%29+AND+%28chronic+granulomatous+disease%5BTI%5D%29+AND+review%5Bpt%5D+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

### OMIM

- GRANULOMATOUS DISEASE, CHRONIC, AUTOSOMAL RECESSIVE, CYTOCHROME b-NEGATIVE  
<http://omim.org/entry/233690>
- GRANULOMATOUS DISEASE, CHRONIC, AUTOSOMAL RECESSIVE, CYTOCHROME b-POSITIVE, TYPE I  
<http://omim.org/entry/233700>

- GRANULOMATOUS DISEASE, CHRONIC, AUTOSOMAL RECESSIVE, CYTOCHROME b-POSITIVE, TYPE II  
<http://omim.org/entry/233710>
- GRANULOMATOUS DISEASE, CHRONIC, AUTOSOMAL RECESSIVE, CYTOCHROME b-POSITIVE, TYPE III  
<http://omim.org/entry/613960>
- GRANULOMATOUS DISEASE, CHRONIC, X-LINKED  
<http://omim.org/entry/306400>

## Sources for This Summary

- Ben-Ari J, Wolach O, Gavrieli R, Wolach B. Infections associated with chronic granulomatous disease: linking genetics to phenotypic expression. *Expert Rev Anti Infect Ther.* 2012 Aug;10(8):881-94. doi: 10.1586/eri.12.77. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23030328>
- Holland SM. Chronic granulomatous disease. *Clin Rev Allergy Immunol.* 2010 Feb;38(1):3-10. doi: 10.1007/s12016-009-8136-z. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/19504359>
- Kannengiesser C, Gérard B, El Benna J, Henri D, Krowiarski Y, Chollet-Martin S, Gougerot-Pocidalo MA, Elbim C, Grandchamp B. Molecular epidemiology of chronic granulomatous disease in a series of 80 kindreds: identification of 31 novel mutations. *Hum Mutat.* 2008 Sep;29(9):E132-49. doi: 10.1002/humu.20820.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18546332>
- Martire B, Rondelli R, Soresina A, Pignata C, Broccoletti T, Finocchi A, Rossi P, Gattorno M, Rabusin M, Azzari C, Dellepiane RM, Pietrogrande MC, Trizzino A, Di Bartolomeo P, Martino S, Carpino L, Cossu F, Locatelli F, Maccario R, Pierani P, Putti MC, Stabile A, Notarangelo LD, Ugazio AG, Plebani A, De Mattia D; IPINET. Clinical features, long-term follow-up and outcome of a large cohort of patients with Chronic Granulomatous Disease: an Italian multicenter study. *Clin Immunol.* 2008 Feb;126(2):155-64. Epub 2007 Nov 26.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18037347>
- Matute JD, Arias AA, Wright NA, Wrobel I, Waterhouse CC, Li XJ, Marchal CC, Stull ND, Lewis DB, Steele M, Kellner JD, Yu W, Meroueh SO, Nauseef WM, Dinaker MC. A new genetic subgroup of chronic granulomatous disease with autosomal recessive mutations in p40 phox and selective defects in neutrophil NADPH oxidase activity. *Blood.* 2009 Oct 8;114(15):3309-15. doi: 10.1182/blood-2009-07-231498. Epub 2009 Aug 19.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/19692703>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2759653/>
- Rieber N, Hector A, Kuijpers T, Roos D, Hartl D. Current concepts of hyperinflammation in chronic granulomatous disease. *Clin Dev Immunol.* 2012;2012:252460. doi: 10.1155/2012/252460. Epub 2011 Jul 25. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/21808651>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3144705/>

- Roos D, de Boer M. Molecular diagnosis of chronic granulomatous disease. Clin Exp Immunol. 2014 Feb;175(2):139-49. doi: 10.1111/cei.12202. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24016250>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3892405/>
  - Rosenzweig SD. Inflammatory manifestations in chronic granulomatous disease (CGD). J Clin Immunol. 2008 May;28 Suppl 1:S67-72. doi: 10.1007/s10875-007-9160-5. Epub 2008 Jan 12. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18193341>
- 

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/chronic-granulomatous-disease>

Reviewed: January 2016

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services